

AMENDMENTS TO THE CLAIMS

Kindly replace the claims as follows.

1. (currently amended) A plastic syringe barrel, comprising:
a nozzle portion in which an outer cylinder and an inner cylinder are formed, and
a luer lock portion formed in the nozzle portion and between an inner peripheral surface of the outer cylinder and an outer peripheral surface of the inner cylinder,
wherein ~~the outer cylinder is made of cyclic polyolefin resin, a helically~~
continuous screw thread is formed on the inner peripheral surface of the outer cylinder
~~contains a helically continuous screw thread, and~~
the inner peripheral surface of the outer cylinder has a roughened surface.
~~the surface of the screw thread and/or of a screw root portion formed between~~
~~adjacent ridges of the screw thread have/has a sandblasted surface.~~
- 2-5. (canceled)
6. (withdrawn-currently amended) A method for improving a plastic syringe barrel, comprising the steps of:
forming in which an outer cylinder and an inner cylinder ~~are formed~~ in a nozzle portion with ~~and in which~~ a luer lock portion ~~composed of a cylindrical space is formed~~ between an inner peripheral surface of the outer cylinder and an outer peripheral surface of the inner cylinder,
~~wherein the connection strength of said luer lock portion is enhanced by forming~~
all or part of an inner surface of said luer lock portion into a surface subjected to surface roughening treatment.
- 7-10. (canceled)

11. (new) The plastic syringe barrel of claim 1, wherein the surface of the screw thread and/or of a screw root portion formed between adjacent ridges of the screw thread have/has a roughened surface.

12. (new) The plastic syringe barrel of claim 1, wherein the roughened surface is a sandblasted surface.

13. (new) The plastic syringe barrel of claim 1, wherein the outer cylinder is made of cyclic polyolefin resin.

14. (new) The plastic syringe barrel of claim 1, wherein the barrel is formed as a unitary structure.

15. (new) A method for providing the plastic syringe barrel of claim 1, comprising the steps of:

forming an outer cylinder and an inner cylinder in a nozzle portion of the syringe barrel, with a luer lock portion between an inner peripheral surface of the outer cylinder and an outer peripheral surface of the inner cylinder;

forming a helically continuous screw thread on the inner peripheral surface of the outer cylinder; and

subjecting the inner peripheral surface of the outer cylinder to a surface roughening treatment.

16. (new) The method of claim 15, wherein the surface roughening treatment is a blast treatment.

17. (new) The method of claim 15, further comprising the step of:
subjecting the screw thread and/or a screw root portion formed between adjacent ridges of the screw thread to a surface roughening treatment.

FROM WILLKIE FARR 37FAX DEPT

(FRI) 3.17'06 18:54/ST. 18:53/NO. 4261629998 P 5

Application Serial No. 09/647,279

Attorney Docket No. 114474-13-FESI00001

Correction of Non-Compliant Amendment, Dated March 17, 2006

18. (new) The method of claim 6, wherein the surface roughening treatment is sandblasting.

19. (new) The method of claim 6, wherein the outer cylinder is made of cyclic polyolefin resin.

20. (new) The method of claim 6, wherein the barrel is formed as a unitary structure.

FROM WILLKIE FARR 37FAX DEPT

(FRI) 3.17'06 18:54/ST.18:53/NO.4261629998 P 6

Application Serial No. 09/647,279

Attorney Docket No. 114474-13-FES100001

Correction of Non-Compliant Amendment, Dated March 17, 2006

Applicant respectfully submits that the foregoing corrected amendment is compliant with the requirements of 37 CFR 1.121, and that the amended application is in condition for allowance.

In the event that any extension of time is required, Applicant petitions for that extension of time required to make this response timely. Kindly charge any additional fee, or credit any surplus, to Deposit Account No. 23-2405, Order No. 114474-13-FES100001

Respectfully submitted,

WILLKIE FARR & GALLAGHER, LLP

Dated: March 17, 2006

By:


Leslie M. Spencer

Registration No. 47,105

WILLKIE FARR & GALLAGHER, LLP

787 Seventh Ave.

New York, New York 10019

212-728-8782

212-728-9782 Fax

lspencer@willkie.com